

WDXCEL WOOD CUT BLADE

The WDXCEL uses a process of vacuum brazing to attach fine pieces of tungsten grit to the cutting edge of a steel centre; this manufacturing process allows the grit to be held constantly in contact with the material being cut producing very fast and effective stock removal.

KEY FEATURES

- Fast cutting speed
- Extended lifetime
- Very fast and effective stock removal



PRODUCT OVERVIEW:

Grade: XCEL
Segment: Vacuum Brazed
Ventilation: No
Recommended for: Angle Grinder
Gullet: Keyhole
Dry/Wet: Dry Use

XCEL GRADE | OPTIMUM COST PER CUT

The XCEL range of products are simply our best in class, due to an uncompromised use of raw materials in their manufacture they offer the user a cutting or drilling experience that is faster and cleaner with an optimum cost per cut.



PRODUCT DATA SHEET

DIAMETERS AVAILABLE:

Code	Diameter		Segment Width (mm)	Bore Size
	(mm)	(in)		
WDXCEL11522	115	4.5	1	22.23
WDXCEL12522	125	5	1	22.23

SUITABLE FOR USE ON:



APPLICATION:

- Wood
- Plastic
- Plaster



Wood

- **RECOMMENDED** to cut these materials
- **Will cut these materials** with the possibility of reduced lifetime / glazing